


## Heavy Industry Torches

### Product Features and Benefits




# Heavy Industry Straight Cutting Torches

## SCRAP STRAIGHT CUTTING TORCH

With Bulldog Torches, superior performance and productivity are assured. The low profile head and lightweight design, strength and durability puts the Bulldog in a class of it's own. Meets ISO 5172



Sleek low-profile head with no protrusions to hinder cutting



UltraMix low-pressure mixer specially designed for propane gas to increase flow velocity

TORCHES & CONSUMABLES  
HEAVY INDUSTRY

Part No.	Model Number	Head Angle	Gas Type	Inlet Connection	Length	List Price £
0381-2015	HC 1131	75°	Propane	3/8, 3/8	36" 914mm	212.50
0381-2016	HC 1151	75°	Propane	3/8, 3/8	48" 1219mm	412.50
0381-2017	HC 1161	75°	Propane	3/8, 3/8	60" 1524mm	500.00
0381-2018	HC1100	90°	Propane	3/8, 3/8	21" 533mm	187.50
0381-2019	HC1102	180°	Propane	3/8, 3/8	21" 533mm	220.00

## Heavy Industry Torches



# Heavy Industry Consumables & Accessories

## Victor Bulldog Cutting Nozzles For Use With Propane And Natural Gas

Part No.	Model No.	Metal Thickness		Cutting Oxygen Pressure		Preheat Oxygen	Fuel Pressure		List
		in	mm	BAR	LPM	LPM	BAR	LPM	Price £
6700C0710	VBN-3	2.5	63.5	2.7-3.4	70-94	11-66	.4-.8	6-30	<b>12.50</b>
6700C0711	VBN-4	3	76.2	2.7-3.4	99-118	11-66	.4-.8	6-30	<b>12.50</b>
6700C0712	VBN-5	5	127.0	3.1-3.8	141-170	11-66	.4-.8	6-30	<b>12.50</b>
6700C0713	VBN-6	8	203.2	3.8-4.5	212-236	11-66	.4-.8	6-30	<b>12.50</b>
6700C0715	VBN-8	10	254.0	4.1-4.8	354-401	21-113	.7-1.2	10-52	<b>12.50</b>
6700C0716	VBN-10	12	304.8	3.1-3.8	472-566	21-113	.7-1.2	10-52	<b>12.50</b>
6700C0717	VBN-12	14	355.6	3.1-3.8	542-637	21-113	.7-1.2	10-52	<b>12.50</b>

Replacement Nozzle Nut: 0309-0018 - List price £4.36

**For best performance, use the following recommended equipment:**

**Regulators - Oxygen:** EDGE™ ESS3

**Fuel:** EDGE™ ESS3

**Hoses - Oxygen:** (10mm) I.D. with (3/8") connections

**Fuel:** (10mm) I.D. with (3/8") connections

**Flashback Arrestors - Oxygen:** Part No. 0140 FBHC-OR-B High Flow

**Fuel:** Part No. 0136 FBR-F-B D97

Size 10 and above nozzles require high flow regulator HF14 or HF35 (see page 11)