

Accessories

TWIST-TYPE ELECTRODE HOLDERS BS EN 60974-11



Part No. **1018**
LC Twist Type 400amp
Yellow Handle
Quantity: 10-40



Part No. **1019**
LC Twist Type 600amp
Yellow Handle
Quantity: 10-40



Part No. **1020**
Twist Type PG 400amp
Red Handle
Econ 405 equivalent
Quantity: 10-40



Part No. **1021**
Twist Type PG 600amp
Red Handle
Econ 406 equivalent
Quantity: 10-40

CROCODILE ELECTRODE HOLDERS BS EN 60974-11

Part No. **1023**
Crocodile Holder 200amp
Quantity: 1-25




Part No. **1024**
Crocodile Holder 400amp
Quantity: 1-25

Part No. **1025**
Optimum 300amp
Quantity: 1-25



Part No. **1026**
Optimum 450amp
Quantity: 1-25

Part No. **1030**
Handicool Type 400amp
Quantity: 1-30



Part No. **1031**
Handicool Type 600amp
Quantity: 1-30

MMA

EARTH CLAMPS



Part No. **1081**
Earth Clamp Screw – 600amp
Quantity: 1-20



Part No. **1083**
Earth Clamp Croc – 200amp
Quantity: 1-50



Part No. **1077**
Nevada Type Earth Clamp Croc – 250amp
Quantity: 1-50



Part No. **1082**
Earth Clamp Myking Type – 600amp
Quantity: 1-15



Part No. **1084**
Earth Clamp Croc – 400amp
Quantity: 1-50



Part No. **1078**
Nevada Type Earth Clamp Croc – 350amp
Quantity: 1-50



Part No. **1085**
Earth Clamp Screw – 600amp
Quantity: 1-20



Part No. **1086**
Earth Clamp Screw CC11 – 600amp
Quantity: 1-20



Part No. **1079**
Nevada Type Earth Clamp Croc – 500amp
Quantity: 1-50

Accessories

CABLE CONNECTORS BS EN 60974-12

Part No. **1052**

CC17 Cable Connector (male)
for 35-70mm cable
Quantity: 1-60




Part No. **1053**

CC18 Cable Connector (female)
for 35-70mm cable
Quantity: 1-60



Part No. **1054**

BB Cable Connector (male) Wescol
for 35-70mm cable
Quantity: 1-60



Part No. **1055**

BB Cable Connector (female) Wescol
for 35-70mm cable
Quantity: 1-60



DINSE TYPE PANEL SOCKETS BS EN 60974-12

Part No. **1064**

10-25 Dinse Type Panel Socket
Quantity: 1-100



Part No. **1065**

35-50 Dinse Type Panel Socket
Quantity: 1-60



Part No. **1066**

70-95 Dinse Type Panel Socket
Quantity: 1-60



Part No. **1067**

Panel Plug for 35-50, 50-70 & 70-95
Quantity: 1-60



DINSE TYPE PLUGS BS EN 60974-12

Part No. **1056**

10-25 Dinse Type Plug
Quantity: 10-200



Part No. **1057**

35-50 Dinse Type Plug
Quantity: 40-160



Part No. **1058**

50-70 Dinse Type Plug
Quantity: 30-120



Part No. **1059**

70-95 Dinse Type Plug
Quantity: 30-120



DINSE TYPE SOCKETS BS EN 60974-12

Part No. **1060**

10-25 Dinse Type Socket
Quantity: 10-200



Part No. **1061**

35-50 Dinse Type Socket
Quantity: 40-160



Part No. **1062**

50-70 Dinse Type Socket
Quantity: 30-120



Part No. **1063**

70-95 Dinse Type Socket
Quantity: 30-120



ADAPTOR

Part No. **1068**
Converts 10-25 sockets to
35-50 sockets
Quantity: 1-10



FERRULES

Part No. **1070**
Brass Ferrules
Quantity: 10-500



MMA

GENUINE MYKING PRODUCTS These are original Myking and not to be confused with 'Myking Type'

MYKING ELECTRODE HOLDERS BS EN 60974-11

The double screw body on these products makes them almost impossible to break. They are extremely well insulated.



MYKING EARTH CLAMPS

Part No. **1080**



Myking G-600amp
Earth Clamp
• Brass body with two screws
• Well insulated
• Max cable size 120mm
Quantity: 1-15

PART NO.	DESCRIPTION	QTY.
1027	Myking 200amp Electrode Holder – Two position 45/90°	1-50
1028	Myking 450amp Electrode Holder – Two position 45/90°	1-25
1029	Myking 600amp Electrode Holder – Two Position 45/90°	1-25

Accessories

RE-USABLE CABLE LUGS

Part No. **1036**
25mm Lug (200amp)
To fit 10mm stud – Quantity: 10

Part No. **1037**
35mm Lug (300amp)
To fit 13mm stud – Quantity: 10

Part No. **1038**
50mm Lug (400amp)
To fit 13mm stud – Quantity: 10



EASY FIT CABLE LUGS

Part No. **1040**
35mm Lug (300amp)
Accepts 14mm cable
To fit 15mm stud – Quantity: 10

Part No. **1041**
50mm Lug (400amp)
Accepts 16mm cable
To fit 15mm stud – Quantity: 10



HAMMER ON CABLE LUGS

Part No. **1042**
70mm Lug (660amp)
Accepts 11mm cable
To fit 13mm stud – Quantity: 10

Part No. **1043**
95mm Lug
Accepts 16mm cable
To fit 15mm stud – Quantity: 10



CHIPPING HAMMERS

Part No. **1073**
Spring Handle Chipping Hammer
Quantity: 10-50



Part No. **1075**
Rockwell Type Chipping Hammer
Quantity: 5-50



Part No. **1074**
Tubular Handle Chipping Hammer
Quantity: 5-50



Part No. **1076**
Wooden Handle Chipping Hammer
Quantity: 5-50



MMA

WIRE BRUSHES



PART NO.	DESCRIPTION	QTY.
1087	2 Row Mild Steel Wire Brush	12-120
1088	3 Row Mild Steel Wire Brush	12-120
1089	4 Row Mild Steel Wire Brush	12-120
1093	4 Row Wire Mild Steel Brush with Scraper (inset above)	12-120
1090	2 Row Stainless Steel Wire Brush	12-20
1091	3 Row Stainless Steel Wire Brush	12-120
1092	4 Row Stainless Steel Wire Brush	12-120

SCRATCH BRUSHES



PART NO.	DESCRIPTION	QTY.
1071	Red – Mild Steel Scratch Brush	10
1072	Green – Stainless Steel Scratch Brush	10

FILLET GAUGES



Part No. **1045**
Cam Type Welding Gauge Set
Quantity: 5-50



Part No. **1046**
Fillet Type Welding Gauge Set
Quantity: 5-50



Part No. **1047**
Pocket Welding Gauge Set
Quantity: 5-50

Accessories

QUIVERS & OVENS

Part No. **1122**
 300°C Portable Oven 110/240 volt
 Internal Dimensions:
 L-150 x W-150 x H-460mm

- Designed to operate in rugged site conditions
- Thermostatically controlled temperature range of 100-300°C
- Capacity: 22.7kgs

Quantity: 1-4



Part No. **1141**
 Dual Voltage Quiver
 Overall Dimensions:
 L-500 x W-120 x D-110mm

- Designed for use on installations with a 110 or 240v supply – ideal for site work
- Will maintain an even temperature of 100°C
- Capacity: 9kgs

Quantity: 1



Part No. **1126** - 110 Volt
 Part No. **1126** - 240 Volt
 500°C Oven
 Internal Dimensions:
 D-500 x W-430 x H-400 mm

- Robustly constructed
- Digital temperature control over a range of 0-500°C
- Capacity: 200kgs
- Digital display
- Weight: 81.5 kgs

Quantity: 1

Part No. **1120** - 110 Volt
 Part No. **1120** - 240 Volt
 300°C Oven
 Internal Dimensions:
 D-500 x W-430 x H-400 mm

- Robustly constructed
- Digital temperature control over a range of 100-300°C
- Capacity: 200kgs
- Digital display
- Weight: 65.8 kgs

Quantity: 1

CARBONS



PART NO.	DESCRIPTION	QTY.
1133	5mm x 305mm Gouging Carbons (5/32 x 12)	100
1134	6.4mm x 305mm Gouging Carbons (1/4 x 12)	100
1135	8mm x 305mm Gouging Carbons (5/16 x 12)	100
1136	10mm x 305mm Gouging Carbons (3/8 x 12)	100
1137	13mm x 305mm Gouging Carbons (1/2 x 12)	100
1138	13mm x 430mm Round Jointed Carbons (1/2 x 17)	100
1139	16mm x 430mm Round Jointed Carbons (5/8 x 17)	100
1140	19mm x 430mm Round Jointed Carbons (3/4 x 17)	100

AIR ARC TORCHES

The Arc Air process grooves, gouges and bevels metals by first melting with an electric arc then blowing away the molten metal with a continuous jet of compressed air directed at the point. Arc air gouging electrodes can be used with a suitable power source such as a rectifier or motor generator.

Part No. **1127**
 K3 Torch 600amp (straight head)
 Complete with 6ft monocable
 Quantity: 1-5



Part No. **1128**
 K5 Torch 1200amp (straight head)
 Complete with 6ft monocable
 Quantity: 1-5



Part No. **1129**
 K4000 Torch 1000amp (angled head)
 Complete with 6ft monocable
 Quantity: 1-5

Part No. **1130**
 K3000 Torch 600amp (angled head)
 Complete with 6ft monocable
 Quantity: 1-5

SAFETUBE® INDUSTRIAL STORAGE CONTAINERS

The Safetube® Industrial Storage Container is ideal for carrying Welding Electrodes. It features a quarter turn cap for easy removal and a pressure-fitted o-ring to keep out dirt and moisture. Highly visible and with an optional adjustable carrying strap, it is also suited to a wide variety of other uses.

Part No. **1119**
 • Holds up to 4.5kg of 350mm welding electrodes
 Quantity: 12

Part No. **1125**
 • Holds up to 6.8kg of 450mm welding electrodes
 Quantity: 12

To purchase optional Carrying Strap order Part No. STRAP



PVC SINGLE INSULATED CABLE

EN 50525-2-11



PART NO.	DESCRIPTION	COIL
1006	16mm Cable - Black	100 mtr
1007	25mm Cable - Black	100 mtr
1008	35mm Cable - Black	100 mtr
1009	50mm Cable - Black	100 mtr
1010	70mm Cable - Black	50 mtr
1011	95mm Cable - Black	50 mtr
1012	120mm Cable - Black	50 mtr

PVC DOUBLE INSULATED CABLE

EN 50525-2-11



PART NO.	DESCRIPTION	COIL
1000	16mm DI Cable - Orange	100 mtr
1001	25mm DI Cable - Orange	100 mtr
1002	35mm DI Cable - Orange	100 mtr
1003	50mm DI Cable - Orange	100 mtr
1004	70mm DI Cable - Orange	50 mtr
1005	95mm DI Cable - Orange	50 mtr

RUBBER SINGLE INSULATED WELDING CABLE

BS EN 50525-2-81:2011 / H01N2-D



PART NO.	DESCRIPTION	COIL
1013	25mm Cable - Black	100 mtr
1014	35mm Cable - Black	100 mtr
1015	50mm Cable - Black	100 mtr
1016	70mm Cable - Black	50 mtr

RUBBER DOUBLE INSULATED WELDING CABLE

BS EN 50525-2-81:2011 / H01N2-D



PART NO.	DESCRIPTION	COIL
998	50mm DI Cable - Orange	100 mtr
999	70mm DI Cable - Orange	50 mtr

MMA

Cable Sets

CROC EARTH CLAMP



PART NO.	DESCRIPTION	COIL
EC52SD	200amp Earth Clamp Croc c/w 10-25 Dinse (25mm Cable)	5 mtr
EC52LD	200amp Earth Clamp Croc c/w 35-50 Dinse (25mm Cable)	5 mtr
EC54LD	400amp Earth Clamp Croc c/w 35-50 Dinse (50mm Cable)	5 mtr

ELECTRODE HOLDER



PART NO.	DESCRIPTION	COIL
EH52SD	200amp Electrode Holder c/w 10-25 Dinse (25mm Cable)	5 mtr
EH52LD	200amp Electrode Holder c/w 35-50 Dinse (25mm Cable)	5 mtr
EH54LD	400amp Electrode Holder c/w 35-50 Dinse (50mm Cable)	5 mtr